

## **Popantel Cat Allwormer Tablets**

### **Composition:**

Each tablets contains: Composition Praziquantel 25 mg, pyrantel (as embonate) 100 mg.

### **Action:**

Anthelmintic.

### **Indication:**

Indications Control of the following gastrointestinal worms and tapeworms in cats: roundworm (*Toxocara cati*, *Toxascaris leonina*), hookworm (*Ancylostoma tubaeforme*, *A. braziliense* (rare outside coastal areas of North Queensland, Northern Territory and northern Western Australia), *Uncinaria stenocephala*), and tapeworm (*Dipylidium caninum* (common flea tapeworm), *Taenia taeniaeformis*).

### **Dosage/Administration:**

It is essential to weigh cats before treatment. Give as a single dose by mouth. Cats should be dosed on an empty stomach.

Dose. less than or equal to 2.5 kg: 1/2 tablet; 2.6 to 5 kg: 1 tablet; > 5 kg: 1 tablet/5 kg.

Worms, if present, may not appear in the droppings after treatment, or may not appear for up to 48 hours after treatment.

Worms often reinfest cats, so it is necessary to treat the cat itself, reduce environmental contamination by daily disposal of droppings where possible, and control intermediate hosts, e.g. fleas, rats and mice.

Re-treatment. Kittens. Treat at 6, 8 and 12 weeks, then 3 monthly. Adults. Treat every 3 months. Pregnant and lactating queens. Treat prior to mating, 10 days before kitting, and 2 and 4 weeks after kitting.

These recommendations are of a general nature. In specific instances where infestation is particularly heavy or many cats are housed together, a veterinary surgeon should be consulted. Flea tapeworms can reinfest cats and begin producing segments 2 to 3 weeks after treatment. If segments appear before the next Allwormer treatment is due, either re-treat with Popantel Cat Allwormer Tablets or use Popantel Tapeworm Tablets as an intermediate, tapeworm only, treatment. If worm problems persist, consult a veterinary surgeon.

Note. Segments seen in the droppings less than 2 weeks after treatment will probably be from the zipper worm (*Spirometra erinacei*), which is another tapeworm. When tapeworm treatment only is required, as in this case, use Popantel Tapeworm Tablets for Dogs and Cats.

Popantel Cat Allwormer Tablets may be combined with other treatments, e.g. flea or tick treatment.

### **Package:**

50 tablets per pot

### **Storage:**

Store below 30 deg. C (room temperature). Protect from light.

### **For animal treatment only**