

## **Amoxicillin 20% inj. Susp.**

### **Composition:**

Each ml suspension contains: 200 mg amoxicillin trihydrate

### **Action:**

Amoxicillin is a semi-synthetic penicillin with a broad spectrum bactericidal action against Gram-positive and Gram-negative bacteria. The suspension produces sustained blood levels 30-60 minutes after injection. Furthermore amoxicillin has many advantages compared to other penicillins, being non-toxic, stable in acidic conditions, is well resorbed and diffuses readily into most body tissues and fluids.

### **Indication:**

Amoxicillin is a semi-synthetic penicillin with a broad spectrum bactericidal action against Gram-positive and Gram-negative bacteria. The suspension produces sustained blood levels 30-60 minutes after injection. Furthermore amoxicillin has many advantages compared to other penicillins, being non-toxic, stable in acidic conditions, is well resorbed and diffuses readily into most body tissues and fluids.

### **Dosage/Administration:**

By intramuscular or subcutaneous injection:

In general 0.3 ml - 0.5 ml per 10 kg b.w. twice daily for 3-5 days..

Higher doses are indicated for severe infections.

### **Advised withdrawal times:**

meat : 14 days.

milk : 4 days.

### **Contraindication:**

Hypersensitivity to penicillins.

### **Package:**

boxes of 12 vials of 100 ml

### **Storage:**

Cool (8-15°C), protected from light.

**For animal treatment only**

**ALFASAN INTERNATIONAL B.V., P.O. BOX 78, WOERDEN, THE NETHERLANDS**